Index of Authors

AFOLABI, P. *See* DAVIES, K. G.

AGNEW, A. *See* CAMACHO, M.

ALAFIATAYO, R. A. *See* PENTREATH, V. W.

ALONSO, C. *See* QUIJADA L.

ALSFORD, S. *See* CAMACHO, M.

ANDREWS, R. H. *See* MONIS, P. T.

ARCOLEO, F. *See* MILANO, S.

ARIZONO, N. *See* UCHIKAWA, R.

ARME, C. *See* RICHARDS, D. T.

ARNEBERG, P., FOLSTAD, I. and KARTER, A. J. Gastrointestinal nematodes depress food intake in naturally infected reindeer, 213

ASSOKU, R. K. G. *See* BOSOMPEM, K. M.

ATILOLA, F. A. *See* CLOUGH, B.

BAGGE, A. M. and VALTONEN, E. T. Experimental study on the influence of paper and pulp mill effluent on the gill parasite communities of roach (*Rutilis rutilis*), 499

BAMUHIIGA, J. *See* FISCHER, P.

BANDI, C. *See* NOVATI, S.

BANNISTER, L. H. *See* WEBB, S. E.

BARRETT, J. *See* RIGA, E.

BARTON, T. R., HARRIS, M. P., WANLESS, S. and ELSTON, D. A. The activity periods and life-cycle of the tick *Ixodes uriae* (Acari: Ixodidae) in relation to host breeding strategies, 571

BASCAL, Z. A., MONTGOMERY, A., HOLDEN-DYE, L., WILLIAMS, R. G., THORNDYKE, M. C. and WALKER, R. J. NADPH diaphorase activity in peptidergic neurones of the parasitic nematode, *Ascaris suum*, 125

BASCAL, Z., HOLDEN-DYE, L., WILLIS, R. J., SMITH, S. W. G. and WALKER, R. J. Novel azole derivatives are antagonists at the inhibitory GABA receptor on the somatic muscle cells of the parasitic nematode *Ascaris suum*, 253

BAUMEISTER, S. *See* DENNIS, R. D.

BEG, M. A., FISTEIN, J. L., INGRAM, G. A. and STOREY, D. M. Activities of glycogen phosphorylase, alanine aminotransferase and aspartate aminotransferase in adult worms of *Litomosoides carinii* recovered from pyridoxine deficient cotton rats (*Sigmodon hispidus*), 227

BETHELL, R. C. *See* CLOUGH, B.

BIANCO, A. E. *See* FOLKARD, S. G.

BIANCO, A. E. *See* TAYLOR, M. J.

BODOR, O. *See* SCHMIDT, J.

BOGERS, J. J. P. M., NIBBELING, H. A. M., DEELDER, A. M. and VAN MARCK, E. A. E. Immunohistochemical and ultrastructural localization of *Schistosoma mansoni* soluble egg antigens processed by the infected host, 537

BOHAN, D. A. and HOMINICK, W. M. Investigations on the presence of an infectious proportion amongst populations of *Steinernema feltiae* (Site 76 strain) infective stages, 113

BONALDO, M. C. *See* LOWNDES, C. M.

BOSOMPEM, K. M., ASSOKU, R. K. G. and NANTULYA, V. M. Differentiation between culture-derived insect stages of *T. brucei*, *T. vivax*, *T. congolense* and *T. simiae* using a monoclonal antibody-based dot-ELISA, 59

BOSOMPEM, K. M., MASAKE, R. A., ASSOKU, R. K. G., OPIYO, E. A. and NANTULYA, V. M. Field evaluation of a dot-ELISA for the detection and differentiation of trypanosome species in infected tsetse flies (*Glossina* spp.), 205

BOULINIER, T., IVES, A. R. and DANCHIN, E. Measuring aggregation of parasites at different host population levels, 581

BRAUN, R. *See* ESCHENBACHER, K.-H.

BREHELIN, M. *See* RUSSO, J.

BRUNO, A. *See* NOVATI, S.

BUNDY, D. A. P. *See* MICHAEL, E.

BÜTTNER, D. W. *See* FISCHER, P.

CAMACHO, M., ALSFORD, S. and AGNEW, A. Molecular forms of tegumental and muscle acetylcholinesterases of *Schistosoma*, 199

CAMPBELL, R. W. *See* UPCROFT, J. A.

CAMUS, D. *See* CLAREBOUT, G.

CANNING, E. U. *See* HOLLISTER, W. S.

CARLOW, C. K. S. *See* HONG, X. Q.

CARTON, Y. *See* RUSSO, J.

CHAR, S., KELLY, P., NAEEM, A. and FARTHING, M. J. G. Codon usage in *Cryptosporidium parvum* differs from that in other Eimeriorina, 357

CILLARI, E. *See* MILANO, S.

CLAREBOUT, G., GAMAIN, B., SLOMIANNY, C., CAMUS, D. and DIVE, D. The course of *Plasmodium berghei*, *p. chabaudi* and *P. yoelii* infections in β-thalassaemic mice, 269

CLOUGH, B., ATILOLA, F. A., HEALY, N., PERIERA, M. E. A., BETHELL, R. C., PENN, C. R. and PASVOL, G. *Plasmodium falciparum* lacks sialidase and trans-sialidase activity, 443

COLLINS, D. A. *See* MÜLLER-GRAF, C. D. M.

CRANDALL, I. and SHERMAN, I. W. The human anion transport protein, band 3, contains a CD36-like binding domain for *Plasmodium falciparum*-infected erythrocytes, 261

CRAWLEY, B. *See* PENREATH, V. W.

CROSS, H. F. *See* TAYLOR, M. J.

DANCHIN, E. *See* BOULINIER, T.

DAVIES, K. G., AFOLABI, P. and O'SHEA, P. Adhesion of *Pasteuria penetrans* to the cuticle of root-knot nematodes (*Meloidogyne* spp.) inhibited by fibronectin: a study of electrostatic and hydrophobic interactions, 553

DEELDER, A. M. *See* BOGERS, J. J. P. M.

DEELDER, A. M., VAN DAM, G. J., KORNELIS, D., FILLIÉ, Y. E. and VAN ZEYL, R. J. M. *Schistosoma*: analysis of monoclonal antibodies reactive with the circulating antigens CAA and CCA, 21

DENNIS, R. D., BAUMEISTER, S., LAUER, G., RICHTER, R. and GEYER, E. Neutral glycolipids of *Schistosoma mansoni* as feasible antigens in the detection of schistosomiasis, 295

DIELI, M. *See* MILANO, S.

DIVE, D. *See* CLAREBOUT, G.

DLUZEWSKI, A. R. *See* WEBB, S. E.

DOUA, F. *See* PENTREATH, V. W.

DUPAS, S. *See* RUSSO, J.

D'AGOSTINO, P. *See* MILANO, S.

EGGLI, P. *See* ESCHENBACHER, K.-H.

ELASED, K. M. and PLAYFAIR, J. H. L. Reversal of hypoglycaemia in murine malaria by drugs that inhibit insulin secretion, 515

ELSTON, D. A. *See* BARTON, T. R.

ESCHENBACHER, K.-H., EGGLI, P., WALLACH, M. and BRAUN, R. Characterization of a 14 kDa oocyst wall protein of *Eimeria tenella* and *E. acervulina*, 169

EWENS, E. *See* RICHARDS, D. T.

EY, P. L. *See* MONIS, P. T.

FALLON, P. G., FOOKES, R. E. and WHARTON, G. A. Temporal differences in praziquantel- and oxamniquine-induced tegumental damage to adult *Schistosoma mansoni*: implications for drug-antibody synergy, 47

FAN, L. *See* KO, R. C.

FARTHING, M. J. G. *See* CHAR, S.

FIELD, A. S. *See* HOLLISTER, W. S.

FILLIÉ, Y. E. *See* DEELDER, A. M.

FISCHER, P., BAMUHIIGA, J., KILIAN, A. H. D. and BÜTTNER, D. W. Strain differentiation of *Onchocerca volvulus* from Uganda using DNA probes, 401

FISTEIN, J. L. *See* BEG, M. A.

FOLKARD, S. G., HOGARTH, P. J., TAYLOR, M. J. and BIANCO, A. E. Eosinophils are the major effector cells of immunity to microfilariae in a mouse model of onchocerciasis, 323
FOLSTAD, I. *See* ARNEBERG, P.
FOOKES, R. E. *See* FALLON, P. G.
FOSTER, N. and LEE, D. L. A vasoactive intestinal polypeptide-like protein excreted/secreted by *Nippostrogylus brasiliensis* and its effect on contraction of uninfected rat intestine, 97
FOWLER, R. E. *See* WEBB, S. E.
FRAGOSO, G., LAMOYI, E., MELLOR, A., LOMELI, C., GOVEZENSKY, T. and SCIUTTO, E. Genetic control of susceptibility to *Taenia crassiceps* cysticercosis, 119
FREY, F. *See* RUSSO, J.
FURMIDGE, B. A., HORN, L. A. and PRITCHARD, D. I. The anti-haemostatic strategies of the human hookworm *Necator americanus*, 81

GAMAIN, B. *See* CLAREBOUT, G.
GATTI, S. *See* NOVATI, S.
GEYER, E. *See* DENNIS, R. D.
GIBSON, W. C. *See* MASIGA, D. K.
GOES, A. M. *See* HIRSCH, C.
GOHR, L. *See* SCHMIDT, J.
GOLDENBERG, S. *See* LOWNDES, C. M.
GOMA, J., RÉNIA, L., MILTGEN, F. and MAZIER, D. Iron overload increases hepatic development of *Plasmodium yoelii* in mice, 165
GOTTSTEIN, B. *See* HEMPHILL, A.
GOVEZENSKY, T. *See* FRAGOSO, G.
GRANATA, S. *See* NOVATI, S.
GRATZER, W. B. *See* WEBB, S. E.
GRENFELL, B. T. *See* MICHAEL, E.

HALVORSEN, O. *See* STIEN, A.
HARRIS, M. P. *See* BARTON, T. R.
HARVER, D. A. *See* SHIRLEY, M. W.
HASTINGS, I. M. Population genetics and the detection of immunogenic and drug-resistant loci in *Plasmodium*, 155
HEALY, N. *See* CLOUGH, B.
HEMPHILL, A., GOTTSTEIN, B. and KAUFMANN, H. Adhesion and invasion of bovine endothelial cells by *Neospora caninum*, 183
HENRIKSSON, J., SOLARI, A., RYDÅKER, M., SOUSA, O. E. and PETTERSSON, U. Karyotype variability in *Trypanosoma rangeli*, 385
HIRSCH, C. and GOES, A. M. Characterization of fractionated *Schistosoma mansoni* soluble adult worm antigens that elicit human cell proliferation and granuloma formation *in vitro*, 529
HOGARTH, P. J. *See* FOLKARD, S. G.
HOLDEN-DYE, L. *See* BASCAL, Z. A.
HOLLISTER, W. S., CANNING, E. U., WEIDNER, E., FIELD, A. S., KENCH, J. and MARRIOTT, D. J. Development and ultrastructure of *Trachipleistophora hominis* n.g., n.sp. after *in vitro* isolation from an AIDS patient and inoculation into athymic mice, 143
HOLMDAHL, O. J. M. and MATTSSON, J. G. Rapid and sensitive identification of *Neospora caninum* by *in vitro* amplification of the internal transcribed spacer 1, 177
HOMAN, W. L. *See* MONIS, P. T.
HOMINICK, W. M. *See* BOHAN, D. A.
HONG, X. Q., SANTIAGO MEJIA, J., KUMAR, S., PERLER, F. B. and CARLOW, C. K. S. Cloning and expression of DiT33 from *Dirofilaria immitis*: a specific and early marker of heartworm infection, 331
HOOLE, D. *See* RICHARDS, D. T.
HORN, L. A. *See* FURMIDGE, B. A.
HURD, H. *See* WEBB, T. J.

INGRAM, G. A. *See* BEG, M. A.
ITTARAT, I. *See* SULLIVAN, A. D.
IVES, A. R. *See* BOULINIER, T.

JAMES, E. R. *See* LAL, P. G.
JAROSZ, J. Ecology of anti-microbials produced by bacterial associates of *Steinemema carpocapsae* and *Heterorhabditis bacteriophora*, 545
JOHNSTON, L. A. and YOSHINO, T. P. Analysis of lectin- and snail plasma-binding glycopeptides associated with the tegumental surface of the primary sporocysts of *Schisotosoma mansoni*, 469
JOHNSTON, M. R. L. *See* RIGA, E.

KAMATA, I. *See* UCHIKAWA, R.
KARTER, A. J. *See* ARNEBERG, P.
KAUFMANN, H. *See* HEMPHILL, A.
KELLY, P. *See* CHAR, S.
KENCH, J. *See* HOLLISTER, W. S.
KENNEDY, C. R. Establishment, survival and site selection of the cestode *Eubothrium crassum* in brown trout, *Salmo trutta*, 347
KILIAN, A. H. D. *See* FISCHER, P.
KORNELIS, D. *See* DEELDER, A. M.
KO, R. C. and FAN, L. Heat shock response of *Trichinella spiralis* and *T. pseudospiralis*, 89
KUBOTA, S., SUGIMOTO, C. and ONUMA, M. Population dynamics of *Theileria sergenti* in persistently infected cattle and vector ticks analysed by a polymerase chain reaction, 437
KUHN, R. E. *See* VILLA, O. F.
KUMAR, S. *See* HONG, X. Q.
KUNZ, W. *See* SCHMIDT, J.
KURODA, A. *See* UCHIKAWA, R.

LAL, P. G. and JAMES, E. R. *Onchocerca* retinol- and ivermectin-binding protein activity, 221
LAMOYI, E. *See* FRAGOSO, G.
LAUER, G. *See* DENNIS, R. D.
LAVEISSIERE, C. *See* MASIGA, D. K.
LEE, D. L. *See* FOSTER, N.
LEINAAS, H.-P. *See* STIEN, A.
LEWIS, J. W. *See* RICHARDS, D. T.
LIMPER, L. *See* MONIS, P. T.
LOMELI, C. *See* FRAGOSO, G.
LOWNDES, C. M., BONALDO, M. C., THOMAZ, N. and GOLDENBERG, S. Heterogeneity of metalloprotease expression in *Trypanosoma cruzi*, 393

MARRIOTT, D. J. *See* HOLLISTER, W. S.
MARTIN, R. J. An electrophysiological preparation of *Ascaris suum* pharyngeal muscle reveals a glutamate-gated chloride channel sensitive to the avermectin analogue, milbemycin D, 247
MASAKE, R. A. *See* BOSOMPEM, K. M.
MASIGA, D. K., MCNAMARA, J. J., LAVEISSIERE, C., TRUC, P. and GIBSON, W. C. A high prevalence of mixed trypanosome infections in tsetse flies in Sinfra, Côte d'Ivoire, detected by DNA amplification, 75
MATSUDA, S. *See* UCHIKAWA, R.
MATTSSON, J. G. *See* HOLMDAHL, O. J. M.
MAYRHOFER, G. *See* MONIS, P. T.
MAZIER, D. *See* GOMA, J.
MCNAMARA, J. J. *See* MASIGA, D. K.
MELLOR, A. *See* FRAGOSO, G.
MESHNICK, S. R. *See* SULLIVAN A. D.
MICHAEL, E., BUNDY, D. A. P. and GRENFELL, B. T. Re-assessing the global prevalence and distribution of lymphatic filariasis, 409
MILANO, S., ARCOLEO, F., DIELI, M., D'AGOSTINO, R., NUCCI, G. DE, D'AGOSTINO, P. and CILLARI, E. *Ex vivo* evidence for PGE2 and LTB4 involvement in cutaneous leishmaniasis: relation with infection status and cytokine production, 13
MILINSKI, M. *See* WEDEKIND, C.
MILTGEN, F. *See* GOMA, J.
MITCHELL, G. H. *See* WEBB, S. E.

MOHAMMED, A. A. *See* TAYLOR, M. J.
MONIS, P. T., MAYRHOFER, G., ANDREWS, R. H., HOMAN, W. L., LIMPER, L. and EY, P. L. Molecular genetic analysis of *Giardia intestinalis* isolates at the glutamate dehydrogenase locus, 1
MONTGOMERY, A. *See* BASCAL, Z. A.
MÜLLER-GRAF, C. D. M., COLLINS, D. A. and WOOLHOUSE, M. E. J. Intestinal parasite burden in five troops of olive baboons (*Papio cyanocephalus anubis*) in Gombe Stream National Park, Tanzania, 489

NAEEM, A. *See* CHAR, S.
NANTULYA, V. M. *See* BOSOMPEM, K. M.
NIBBELING, H. A. M. *See* BOGERS, J. J. P. M.
NISHIDA, M. *See* UCHIKAWA, R.
NOVATI, S., SIRONI, M., GRANATA, S., BRUNO, A., GATTI, S., SCAGLIA, M. and BANDI, C. Direct sequencing of the PCR amplified SSU rRNA gene of *Entamoeba dispar* and the design of primers for rapid differentiation from *Entamoeba histolytica*, 363
NUCCI, G. DE *See* MILANO, S.

ONUMA, M. *See* KUBOTA, S.
OPIYO, E. A. *See* BOSOMPEM, K. M.
OPPENHEIM, B. A. *See* PENTREATH, V. W.
O'SHAUGHNESSY, C. *See* WEBB, S. E.
O'SHEA, P. *See* DAVIES, K. G.

PASVOL, G. *See* CLOUGH, B.
PELSTER, B. *See* WÜRTZ, J.
PEMBERTON, R. *See* YOLE, D. S.
PENN, C. R. *See* CLOUGH, B.
PENTREATH, V. W., ALAFIATAYO, R. A., CRAWLEY, B., DOUA, F. and OPPENHEIM, B. A. Endotoxins in the blood and cerebrospinal fluid of patients with African sleeping sickness, 67
PERIERA, M. E. A. *See* CLOUGH, B.
PERLER, F. B. *See* HONG, X. Q.
PERRY, R. N. *See* RIGA, E.
PETTERSSON, U. *See* HENRIKSSON, J.
PINDER, J. C. *See* WEBB, S. E.
PLAYFAIR, J. H. L. *See* ELASED, K. M.
PRITCHARD, D. I. *See* FURMIDGE, B. A.

QUIJADA, L., REQUENA, J. M., SOTO, M. and ALONSO, C. during canine viscero-cutaneous leishmaniasis the anti-Hsp70 antibodies are specifically elicited by the parasite protein, 277

REID, G. D. F. *See* YOLE, D. S.
RÉNIA, L. *See* GOMA, J.
REQUENA, J. M. *See* QUIJADA, L.
RICHARDS, D. T., HOOLE, D., LEWIS, J. W., EWENS, E. and ARME, C. *In vitro* polarization of carp leucocytes in response to the blood fluke *Sanguinicola inermis* Plehn, 1905 (Trematoda: Sanguinicolidae), 509
RICHTER, R. *See* DENNIS, R. D.
RIGA, E., PERRY, R. N., BARRETT, J. and JOHNSTON, M. R. L. Electrophysiological responses of males of the potato cyst nematodes, *Globodera rostochiensis* and *G. pallida*, to their sex pheromones, 239
RUSSO, J., DUPAS, S., FREY, F., CARTON, Y. and BREHELIN, M. Insect immunity: early events in the encapsulation process of parasitoid (*Leptopilina boulardi*) eggs in resistant and susceptible strains of *Drosophila*, 135
RYDÅKER, M. *See* HENRIKSSON, J.

SANTIAGO MEJIA, J. *See* HONG, X. Q.
SCAGLIA, M. *See* NOVATI, S.
SCHMIDT, J., BODOR, O., GOHR, L. and KUNZ, W. Paramyosin isoforms of *Schistosoma mansoni* are phosphorylated and localized in a large variety of muscle types, 459
SCIUTTO, E. *See* FRAGOSO, G.
SHERMAN, I. W. *See* CRANDALL, I.
SHIRLEY, M. W. and HARVER, D. A. *Eimeria tenella*: infection with a single sporocyst gives a clonal population, 523
SIRONI, M. *See* NOVATI, S.
SLOMIANNY, C. *See* CLAREBOUT, G.
SMITH, S. W. G. *See* BASCAL, Z.
SOLARI, A. *See* HENRIKSSON, J.
SOTO, M. *See* QUIJADA, L.
SOUSA, O. E. *See* HENRIKSSON, J.
STEVENS, J. R. and TIBAYRENC, M. *Trypanosoma brucei* s.l.: evolution, linkage and the clonality debate, 481
STIEN, A., HALVORSEN, O. and LEINAAS, H.-P. Density-dependent sex ratio in *Echinomermella matsi* (Nematoda), a parasite of the sea urchin *Strongylocentrotus droebachiensis*, 105
STOREY, D. M. *See* BEG, M. A.
SUGIMOTO, C. *See* KUBOTA, S.
SULLIVAN, A. T., ITTARAT, I. and MESHNICK, S. R. Patterns of haemozoin accumulation in tissue, 285

TARASCHEWSKI, H. *See* WÜRTZ, J.
TAYLOR, M. J., CROSS, H. F., MOHAMMED, A. A., TREES, A. J. and BIANCO, A. E. Susceptibility of *Brugia malayi* and *Onchocerca lienalis* microfilariae to nitric oxide and hydrogen peroxide in cell-free culture and from IFNγ-activated macrophages, 315
TAYLOR, M. J. *See* FOLKARD, S. G.
TEGOSHI, T. *See* UCHIKAWA, R.
THOMAZ, N. *See* LOWNDES, C. M.
THORNDYKE, M. C. *See* BASCAL, Z. A.
TIBAYRENC, M. *See* STEVENS, J. R.
TREES, A. J. *See* TAYLOR, M. J.
TRUC, P. *See* MASIGA, D. K.

UCHIKAWA, R., YAMADA, M., MATSUDA, S., TEGOSHI, T., NISHIDA, M., KAMATA, I., KURODA, A. and ARIZONO, N. Dissociation of early and late protective immunity to the nematode *Nippostrongylus brasiliensis* in Brown Norway and Fischer-344 rats, 339
UPCROFT, J. A., CAMPBELL, R. W. and UPCROFT, P. Quinacrine-resistant *Giardia duodenalis*, 309
UPCROFT, P. *See* UPCROFT, J. A.

VALTONEN, E. T. *See* BAGGE, A. M.
VAN DAM, G. J. *See* DEELDER, A. M.
VAN MARCK, E. A. E. *See* BOGERS, J. J. P. M.
VAN ZEYL, R. J. M. *See* DEELDER, A. M.
VILLA, O. F. and KUHN, R. E. Mice infected with the larvae of *Taenia crassiceps* exhibit a Th2-like immune response with concomitant anergy and downregulation of Th1-associated phenomena, 561

WALKER, R. J. *See* BASCAL, Z. A.
WALLACH, M. *See* ESCHENBACHER, K.-H.
WANLESS, S. *See* BARTON, T. R.
WEBB, S. E., FOWLER, R. E., O'SHAUGHNESSY, C., PINDER, J. C., DLUZEWSKI, A. R., GRATZER, W. B., BANNISTER, L. H. and MITCHELL, G. H. Contractile protein system in the asexual stages of the malaria parasite *Plasmodium falciparum*, 451
WEBB, T. J. and HURD, H. *Hymenolepis diminuta*: metacestode-induced reduction in the synthesis of the yolk protein, vitellogenin, in the fat body of *Tenebrio molitor*, 429
WEDEKIND, C. and MILINSKI, M. Do three-spined sticklebacks avoid consuming copepods, the first intermediate host of *Schistocephalus solidus*? – an experimental analysis of behavioural resistance, 371
WEIDNER, E. *See* HOLLISTER, W. S.
WHARTON, G. A. *See* FALLON, P. G.
WILLIAMS, R. G. *See* BASCAL, Z. A.
WILLIS, R. J. *See* BASCAL, Z.
WILSON, R. A. *See* YOLE, D. S.
WOOLHOUSE, M. E. J. *See* MÜLLER-GRAF, C. D. M.
WÜRTZ, J., TARASCHEWSKI, H. and PELSTER, B. Changes in gas

compostion in the swimbladder of the European eel (*Anguilla anguilla*) infected with *Anguillicola crassus* (Nematoda), 233

YAMADA, M. *See* UCHIKAWA, R.

YOLE, D. S., PEMBERTON, R., REID, G. D. F. and WILSON, R. A.

Protective immunity to *Schistosoma mansoni* induced in the olive baboon *Papio anubis* by the irradiated cercaria vaccine, 37

YOSHINO, T. P. *See* JOHNSTON, L. A.

Index of Subjects

Acetylcholinesterases, molecular forms of from *Schisosoma* tegument and muscle, 199
Activity periods, of *Ixodes uriae*, in relation to host breeding strategies, 571
Adhesion, of *Neospora caninum* to bovine endothelial cells, 183
of *Pasteuria penetrans* to root-knot nematode cuticle, 553
African sleeping sickness, endotoxins in, 67
African trypanosomes, differentiation of by ELISA, 59
Aggregation, of parasites, measurement of at different host population levels, 581
Anguilla anguilla, gas composition in the swimbladders of, 233
Anguillicola crassus, effect of on the gas composition of swimbladders in eels, 233
Antigens, of adult *Schistosoma mansoni*, 529
soluble egg, from *Schistosoma mansoni*, 537
Anti-haemostatic strategies, of *Necator americanus*, 81
Anti-microbials, produced by bacterial associates of *S. carpocapsae* and *H. bacteriophora*, 545
Ascaris suum, antagonism of the somatic muscle cell GABA receptor of by novel azole derivatives, 253
NADPH activity in the peptidergic neurones of, 125
pharyngeal glutamate chloride channels in, 247
Azole derivatives, antagonism of *Ascaris suum* somatic muscle cell GABA receptor by, 253

Bacterial associates, of *S. carpocapsae* and *H. bacteriophora*, anti-microbials produced by, 545
Band 3, contains a CD36–like binding domain for *Plasmodium falciparum*-infected erythrocytes, 261
Behavioural resistance, experimental analysis of, 371
β-thalassaemic mice, the course of malaria infections in, 269

CAA and CCA, analysis of monoclonal antibodies reactive with, 21
CD36-like domain, presence of in human anion transport protein, band 3, 261
Cellular encapsulation, of *Leptopilina boulardi* eggs in *Drosophila*, 135
Cercaria vaccine, induction of protective immunity to *Schistosoma mansoni* by, in baboons, 37
Cerebral pathology, effect of tissue haemozoin levels on during malaria infection, 285
Circulating antigens, of *Schistosoma*, monoclonal antibodies reacting with, 21
Clonality, of *Trypanosoma brucei*, 481
Cloning, of *Eimeria tenella*, 523
Codon usage, in *Cryptosporidium parvum* differs from other Eimeriorina, 357
Contractile proteins, in malaria parasites, 451
Cryptosporidium parvum, codon usage in differs from other Eimeriorina, 357
Cutaneous leishmaniasis, involvement of PGE_2 and LTB_4 in, 13
Cysticercosis, genetic control of susceptibility to, 119

Density-dependent sex ratio, in *Echinomermella matsi*, 105
Detection and differentiation, of trypanosome species in tsetse flies, 205
Detection, of *Neospora caninum*, 177
Diagnostic immunoassays, potential of monoclonal anti-circulating *Schistosoma* antigens in, 21
Diagnostic potential, of *Dirofilaria immitis* DiT33, 331
Differentiation, between culture-derived African trypanosomes, 59
Dirofilaria immitis, cloning and expression of DiT33 from, 331
Distribution, of lymphatic filariasis, 409
DiT33, cloning and expression of from *Dirofilaria immitis*, 331
DNA probes, use of to differentiate strains of *Onchocerca volvulus* from Uganda, 401
Drosophila, encapsulation of *Leptopilina boulardi* eggs in, 135
Drug-resistant loci, in *Plasmodium*, 155

Echinomermella matsi, density-dependent sex ratio in, 105
Egg encapsulation, of *Leptopilina boulardi* in *Drosophila*, 135
Eimeria acervulina, characterization of a 14 kDa oocyst wall protein of, 169
Eimeria tenella, characterization of a 14 kDa oocyst wall protein of, 169
cloning of, 523
Eimeriorina, codon usage in differs from that in *Cryptosporidium parvum*, 357
Electrophysiological preparation, of *Ascaris suum*, reveals a glutamate-gated chloride channel in pharyngeal muscle, 247
Electrophysiological responses, of male potato cyst nematodes to sex pheromones, 239
Endotoxins, in African sleeping sickness, 67
Entamoeba dispar, sequencing of the ribosomal RNA gene of, 363
Entamoeba histolytica, rapid differentiation of from *E. dispar*, 363
Enzyme activities, in *Litomosoides carinii* from pyridoxine-deficient cotton rats, 227
Eosinophils, as major effector cells of immunity to microfilariae, 323
Epidemiological studies, use of parasite aggregation measurement methods in, 581
Eubothrium crassum, survival of in brown trout, 347
Evolution, of *Trypanosoma brucei*, 481
Excretory/secretory products, of *Nippostrongylus brasiliensis* contain a vasoactive intestinal polypeptide, 97
of *Trichinella spiralis* and *T. pseudospiralis*, heat shock proteins in, 89

Fibronectin, inhibition of adhesion of *Pasteuria penetrans* to root-knot nematodes by, 553
Food intake, suppression of in reindeer by gastrointestinal nematodes, 213

GABA receptor, on somatic muscle cells of *Ascaris suum*, antagonism of by novel azole derivatives, 253
Gas composition, in swimbladders of eels infected with *Anguillicola crassus*, 233
Gastrointestinal nematodes, depression of food intake by in reindeer, 213
Genetic control, of susceptibility to *Taenia crassiceps* cysticercosis, 119
Giardia duodenalis, resistance of to quinacrine, 309
Giardia intestinalis, molecular genetic analysis of, 1
Gill parasites, effects of paper mill effluent on in roach, 499
Global prevalence, of lymphatic filariasis, 409
Glutamate dehydrogenase locus, genetic analysis of *Giardia intestinalis* at, 1
Glycopeptides of *Schistosoma mansoni* tegument, lectin- and snail plasma-binding properties of, 469

Haemostasis, inhibition of by *Necator americanus*, 81
Haemozoin, patterns of accumulation of in tissue, 285
Heat shock response, of *Trichinella spiralis* and *T. pseudospiralis*, 89
Hepatic development, of *Plasmodium yoelii* in mice is increased by iron overload, 165
Heterorhabditis bacteriophora, anti-microbials produced by bacterial associates of, 545

Hsp 70 antibodies, elicitation of during canine viscero-cutaneous leishmaniasis, 277
Hydrogen peroxide, susceptibility of microfilariae to, 315
Hymenolepis diminuta, effects of on vitellogenin synthesis in *Tenebrio molitor*, 429
Hypoglycaemia, reversal of in murine malaria by drugs that inhibit insulin secretion, 515

Immunity, to *Schistosoma mansoni* in baboons, induced by irradiated cercariae, 37
Immunogenic loci, in *Plasmodium*, 155
Immunosuppression, induction of by *Taenia crassiceps* in mice, 561
Inbred rat strains, immunity to *Nippostrongylus brasiliensis* in, 339
Infection prevalence, update of existing estimates of on a global scale, 409
Infectious proportion, presence of in populations of *Steinernema feltiae*, 113
Insulin secretion, drugs that inhibit reverse hypoglycaemia in murine malaria, 515
Intestinal parasites, of olive baboons in Gombe Stream National Park, Tanzania, 489
Invasion, of bovine endothelial cells by *Neospora caninum*, 183
Iron overload, increased hepatic development of *Plasmodium yoelii* induced by, 165
Isolation of *Trachipleistophora hominis* n.g., n.sp. from AIDS patient, 143
Ivermectin-binding protein, activity of in *Onchocerca cervicalis*, 221
Ixodes uriae, activity and life-cycle of, 571

Karyotype variability, in *Trypanosoma rangeli*, 385

Leishmania infantum, elicitation of anti-Hsp 70 antibodies by, 277
Leptopilina boulardi, encapsulation of the eggs of, in *Drosophila*, 135
Leucocytes, polarization of, *in vitro*, induced by *Sanguinicola inermis*, 509
Life-cycle, of *Ixodes uriae*, in relation to host breeding strategies, 571
Linkage disequilibrium, in *Trypanosoma brucei*, 481
Litomosoides carinii, from pyridoxine deficient cotton rats, enzyme activities in, 227
Localization, of *Schistosoma mansoni* soluble egg antigens in host tissue, 537
LTB_4, involvement of in cutaneous leishmaniasis, 13
Lymphatic filariasis, global prevalence and distribution of, 409

Malaria, in mice, reversal of hypoglycaemia in, 515
Malaria infection, course of in β-thalassaemic mice, 269
  accumulation of haemozoin during, 285
Malaria parasites, contractile protein system in, 451
Meloidogyne spp., adhesion of *Pasteuria penetrans* to, 553
Metalloproteases in *Trypanosoma cruzi*, heterogeneity of, 393
Microfilariae, susceptibility of to nitric oxide and hydrogen peroxide, 315
Milbemycin D, an avermectin analogue with effects on chloride channels in *Ascaris suum*, 247
Molecular genetic analysis, of *Giardia intestinalis*, 1
Muscle, of *Schistosoma*, acetylcholinesterases from, 199

NADPH diaphorase, activity of in peptidergic neurones of *Ascaris suum*, 125
Necator americanus, anti-haemostatic strategies of, 81
Neospora caninum, adhesion and invasion of bovine endothelial cells by, 183
  rapid and sensitive characterization of, 177
Neutral glycolipids, use of in the detection of schistosomiasis, 295
New genus, *Trachipleistophora hominis*, isolated from AIDS patient, 143
New species, *Trachipleistophora hominis*, isolated from AIDS patient, 143
Nippostrongylus brasiliensis, early and late protective immunity to in rats, 339
  excretion/secretion of a vasoactive intestinal polypeptide by, 97
Nitric oxide, susceptibility of microfilariae to, 315

Olive baboons, intestinal parasites of in Gombe Stream National Park, Tanzania, 489
Onchocerca cervicalis, retinol- and ivermectin-binding protein activity in, 221
Onchocerca lienalis, immunity to the microfilariae of involves eosinophils, 323
Onchocera volvulus, strain differentiation of using DNA probes, 401
Onchocerciasis, role of eosinophils in immunity in a mouse model of, 323
Oocyst wall protein, characterization of from *Eimeria*, 169
Oxamniquine, induction of tegumental surface damage by in adult *Schistosoma mansoni*, 47

Papio cynocephalus anubis, intestinal parasite burden in, 489
Paramyosin, localization of in *Schistosoma mansoni*, 459
Parasitized prey, avoidance of by three-spined sticklebacks, 371
Pasteuria penetrans, adhesion of to root-knot nematodes, 553
Peptidergic neurones, NADPH diaphorase activity in, in *Ascaris suum*, 125
PGE_2, involvement of in cutaneous leishmaniasis, 13
Pharyngeal glutamate-gated chloride channels, in *Ascaris suum*, 247
Phosphorylation, of paramyosin isoforms of *Schistosoma mansoni*, 459
Plasmodium falciparum, absence of sialidase and trans-sialidase in, 443
  contractile proteins in the asexual stages of, 451
Plasmodium falciparum-infected erythrocytes, a CD36-like binding domain for is contained in band 3, 261
Plasmodium, immunogenic and drug-resistant loci in, 155
Plasmodium spp., course of infections of in β-thalassaemic mice, 269
Plasmodium yoelii, hepatic development of in mice is increased by iron overload, 165
Polarization, of carp leucocytes, induced by *Sanguinicola inermis*, *in vitro*, 509
Polution from paper mill effluent, effects of on gill parasites of roach, 499
Polymerase chain reaction, use of in study of *Theileria sergenti* population dynamics, 437
  use of in the identification of *Neospora caninum*, 177
Population dynamics, of *Theileria sergenti* in persistently infected cattle and vector ticks, 437
Population genetics, and *Plasmodium*, 155
Population levels, of hosts, measurement of parasite aggregation in, 581
Potato cyst nematodes, electrophysiological responses of to sex pheromones, 239
Praziquantel, induction of tegumental surface damage by in adult *Schistosoma mansoni*, 47
Prevalence, of mixed trypanosome infections in tsetse flies, 75
Prevalence of infection, update of existing estimates of on a global scale, 409
Protection, against *Schistosoma mansoni* in baboons, 37
Protective immunity, to *Nippostrongylus brasiliensis* in rats, 339
Proteolytic enzymes, in *Trypanosoma cruzi*, 393
Pyridoxine-deficient cotton rats, enzyme activities of *Litomosoides carinii* recovered from, 227

Quinacrine, resistance of *Giardia duodenalis* to, 309

Reindeer, suppression of food intake in by gastrointestinal nematode infection, 213
Resistance, of *Giardsia duodenalis* to quinacrine, 309
Retinol-binding protein, activity of in *Onchocerca cervicalis*, 221
Roach, effect of paper mill effluent on the gill parasites of, 499
Rutilus rutilus, effect of paper mill effluent on the gill parasites of, 499

Salmo trutta, survival of *Eubothrium crassum* in, 347
Sanguinicola inermis, induction of polarization of carp leucocytes by, *in vitro*, 509
Schistocephalus solidus, avoidance of the copepods of by three-spined sticklebacks, 371
Schistosoma mansoni, drug-induced tegumental damage in, 47
localization of paramyosin isoforms in, 459
protective immunity to in baboons, 37
soluble adult worm antigens of elicit human cell proliferation and granuloma formation *in vitro*, 529
tegumental surface glycopeptides of, 469
use of neutral glycolipid antigens of in the detection of schistosomiasis, 295
Schistosoma, molecular forms of tegumental and muscle acetylcholinesterases from, 199
monoclonal antibodies reacting with circulating antigens of, 21
Schistosomiasis, use of antigenic neutral glycolipids in the detection of, 295
Sequencing, of *Entamoeba dispar* ribosomal RNA gene, 363
Sex pheromones, electrophysiological responses of potato cyst nematodes to, 239
Sex ratio, density dependence of in *Echinomermella matsi*, 105
Sialidase activity, absence of in *Plasmodium falciparum*, 443
Site selection, of *Eubothrium crassum* in brown trout, 347
Soluble egg antigens, of *Schistosoma mansoni*, localization of in host tissue, 537
Sporocyst, of *Eimeria tenella*, infection with gives a clonal population, 523
Steinernema carpocapsae, anti-microbials produced by bacterial associates of, 545
Steinernema feltiae, the presence of an infectious proportion in populations of, 113
Strain differentiation, of *Onchocerca volvulus* using DNA probes, 401
Strongylocentrotus droebachiensis, density-dependent sex ratio in *Echinomermella matsi*, a parasite of, 105
Survival, of *Eubothrium crassum* in brown trout, 347
Susceptibility, of microfilariae to nitric oxide and hydrogen peroxide, 315
Susceptibility to cysticercosis, genetic control of, 119
Swimbladder, gas composition of in eels infected with *Anguillicola crassus*, 233

Taenia crassiceps, genetic control of susceptibility to, 119
induction of Th2-like responses by in mice, 561
Tegumental damage, drug induced in *Schistosoma mansoni*, 47
Tegumental surface glycopeptides, of *Schistosoma mansoni* sporocysts, 469
Tegument, of *Schistosoma*, acetylcholinesterases from, 199
Tenebrio molitor, effect of *Hymenolepis diminuta* infection of on vitellogenin synthesis, 429
Th2-like immune response, induction of in mice by *Taenia crassiceps*, 561
Theileria sergenti, population dynamics of in persistently infected cattle and vector ticks, 437
Three-spined sticklebacks, avoidance of parasitized prey by, 371
Trachipleistophora hominis, n.g., n.sp., development and ultrastructure of, 143
Trans-sialidase activity, absence of in *Plasmodium falciparum*, 443
Trichinella pseudospiralis, heat shock response of, 89
Trichinella spiralis, heat shock response of, 89
Trypanosoma brucei, evolution, linkage and clonality of, 481
Trypanosoma cruzi, heterogeneity of metalloproteases in, 393
Trypanosoma rangeli, karyotype variability in, 385
Trypanosoma spp., differentiation between culture-derived insect stages of by ELISA, 59
Trypanosome species, detection and differentiation of in tsetse flies, 205
Trypanosomes, prevalence of mixed infections of in tsetse flies, 75
Tsetse flies, detection and differentiation of trypanosome species in, 205
prevalence of mixed trypanosome infections in, 75

Vasoactive intestinal polypeptide-like protein, excretion/secretion of by *Nippostrongylus brasiliensis*, 97
Viscero-cutaneous leishmaniasis, elicitation of anti-Hsp70 antibodies during, 277
Vitellogenin synthesis, effect of *Hymenolepis diminuta* on in *Tenebrio molitor*, 429